

AFFIDAVIT OF PUBLICATION

**STATE OF WASHINGTON
COUNTY OF PIERCE**

I, Karin Morrell, being first duly sworn, on oath, says that she is the legal clerk of The News Tribune, a daily newspaper published in Tacoma, Pierce County, Washington, and of general circulation in said state, and having a daily circulation of over 147,700 copies.

That said newspaper is now and at all times hereinafter mentioned as a legal newspaper as defined by the laws of the state, duly approved by the Superior Court of Pierce County, Washington, as provided by Chapter 213 Sessions Law of 1941.

That the advertisement, of which the attached is a printed copy as it was published in the regular issues of said newspaper, was published 2 time(s),

commencing on the 17th day of

September 1997, and ending on the

24th day of September 1997.

that the full amount for said publication was the

sum of \$122.40

Ad# T793394

Karin Morrell

Subscribed to and sworn before me on this
25th day of September 1997.

Stormy L. Gregory
Notary public in and for the
state of Washington, residing at Tacoma,
Pierce County Washington



STATE OF WASHINGTON
DEPT. OF ECOLOGY
NOTICE OF APPLICATION
TO APPROPRIATE
PUBLIC WATERS
TAKE NOTICE:
That Lakewood Water District of Tacoma, Washington, on July 21, 1997, under Application No. G2-29510 filed for permit to appropriate public waters, subject to existing rights, from a well in the amount of 1200 gallons per minute as needed year round, for municipal supply. The source of the proposed appropriation is located within SE 1/4 NE 1/4 of Section 9, Township 19 N., Range 2 E.W.M., in Pierce County. Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from September 24, 1997.
Department of Ecology
P.O. Box 47775
Olympia, WA 98504-7775

S



October 6, 1997

RECEIVED
'97 OCT -8 A11 :05

COMMISSIONERS
L. R. Ghilarducci, Jr.
W. W. Philip
M. M. Hullinger
MANAGER:
Randall M. Black

DEPARTMENT OF ECOSYSTEMS
S.W. REGIONAL OFFICE

State of Washington, DOE
Shorelands & Water Resources
Attention: Sheri Carroll
P O Box 47775
Olympia WA 98504-7775

Re: Ground Water Application No. G2-29510

Dear Sheri Carroll:

Further to your correspondence on September 3, 1997, requesting publication of our notice for ground water application as referenced above, I have enclosed the "affidavit of publication" received from the News Tribune.

We have contacted DOH for further information. Thank you for your assistance.


Sincerely,

Randall M. Black, Manager

Enclosure

:dja





**STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY**

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

That Lakewood Water District of Tacoma, Washington on July 21, 1997, under Application No. G2-29510 filed for permit to appropriate public waters, subject to existing rights, from a well in the amount of 1200 gallons per minute as needed year round each year, for municipal supply. The source of the proposed appropriation is located within SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 9, Township 19 N., Range 2 E.W.M., in Pierce County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from: _____ (Last date of publication to be entered above by publisher)

*** NOTICE MUST BE PUBLISHED ONCE A WEEK FOR TWO CONSECUTIVE WEEKS ***

Department of Ecology
P.O. Box 47775
Olympia, WA 98504-7775



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 3, 1997

Lakewood Water District
11900 Gravelly Lake Dr SW
Tacoma, Washington 98499-1412

Dear Sir or Madame:

Re: Ground Water Application No. G2-29510

Your application for the appropriation of water has been assigned the above referenced number. Please refer to this number in future correspondence.

Enclosed is a notice of your application which must be published once a week for two consecutive weeks in a qualified legal newspaper of general circulation in the County or Counties in which the storage, diversion, and use is to be made and in other newspapers as directed. A list of these newspapers in your county is enclosed. The applicant is responsible for the payment of the publication. Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication with the news clipping from the newspaper, please forward the original to this office promptly.

Since your application is for service of more than one residence, it is considered a public water supply. Public water supply systems are required to be approved by either the Local Health Department or the State Department of Health, depending upon system size. If you have not already done so, I suggest that you contact your Local Health Department or DOH, Drinking Water Section, Olympia, Washington, for further information.

Sincerely,

Sheri Carroll
Shorelands & Water Resources

SC:th
Enclosures

S

